


# PLANT & TOOL HIRE BROCHURE 2024



JCT



TOOL HIRE LTD

---

## **ABOUT US**

JCT Tool Hire (a subsidiary of JCT Group LTD) is your trusted partner for all your hire needs. Established in 2020 with a passion for making your projects easier, more efficient, and cost-effective.

We understand the importance of having the right tools at your disposal to bring your projects to life. Our extensive inventory features a wide range of high quality tools and equipment, carefully selected to meet your diverse needs.

What sets us apart is our unwavering commitment to excellence. We take pride in offering well-maintained, top-of-the-line tools and machinery, ensuring safety and reliability on every job. Our team of experienced and knowledgeable professionals are always ready to assist you in choosing the right equipment, providing guidance, and offering valuable tips to help you succeed in your projects.

We believe in convenience and flexibility. Our hire process is hassle-free, designed to save you time and money. Whether you need tools for a day, a week, or a long-term project, our competitive hire rates and convenient pickup/delivery options make it easy to get what you need, when you need it.

Your success is our success, and we are dedicated to supporting you in turning your vision into reality.

# **SERVICING & SALES**

Are your tools a bit worn out? Don't let dull blades and sluggish performance slow you down! Trust our In-House Tool Servicing to revive your equipment and enable you to continue with your busy working days.

Experience the difference with JCT - where quality meets expertise.

## **Why Choose Our In-House Tool Servicing?**

1. **Expert Technicians:** Our skilled technicians have years of experience and are dedicated to ensuring your tools perform at their best.
2. **Comprehensive Servicing:** From blade sharpening to motor tune-ups, we offer a full range of servicing to address all your tool maintenance needs.
3. **Quick Turnaround:** We understand the importance of your tools in your daily operations. Our efficient service ensures minimal downtime, getting your tools back into your hands swiftly.
4. **Quality Guarantee:** We stand behind the quality of our work. Your satisfaction is our priority, and we guarantee the longevity and improved performance of your serviced tools.
5. **Convenience:** No need to worry about shipping your tools off-site. Our in-house servicing is convenient and saves you time.

We can also offer an extensive inventory of equipment and supplies for sale including, gloves, fuel, cutting blades and more.

# CONTENTS

---

- ACCESS
- BREAKING
- CLEANING
- COMPACTING
- CONCRETING
- CROWD CONTROL
- CUTTING
- DIGGING
- DRAINAGE
- DRILLING
- DUMPERS
- FIXING
- GARDENING
- GENERAL BUILDING
- HEATING
- LIFTING EQUIPMENT
- LIGHTING
- MIXING
- POWER
- PUMPING
- SURVEYING
- WASHING
- WASTE



# **BOSS ALLOY**

## **SINGLE & DOUBLE WIDTH TOWERS**

BOSS is the best selling scaffold tower in the world. The renowned BOSS system incorporates a host of features which set the highest standard in aluminium tower engineering for today and the future. All BOSS towers combine outstanding safety features including, patented colour coded brace hooks, integral ladders for safe access in the end frames, ribbed tubing for non-slip grip and rugged stabiliser for outstanding rigidity.

### **SINGLE WIDTH**

- Platform height: 1.2—4.2m
- Working height: 3.2m—6.20m
- Platform length: 1.8m

### **DOUBLE WIDTH**

- Platform height: 1.2m
- Working height: 3.2m—6.2m
- Platform length: 2.5m



## **LADDERS & ROOF LADDERS**

Providing safe access our lightweight roof ladder combines the strength of a trade ladder with a heavy duty ridge hook.



Triple section extension ladder constructed using high-grade aluminium and suitable for professional use .



# **ALTRAD BELLE HYDRAULIC BREAKER PACK**

The Altrad Belle range offers robust and reliable construction equipment, known for its unparalleled performance and durability. Its innovative engineering combines with user friendly design makes it a top choice for professionals.

## **BHB25X**

- Working Pressure: 90-110 bar
- Breaking Force: 55J
- Weight: 27.5KG

An efficient, portable on site power source that is 12% more compact but with the same market leading performance. Comes with integrated Power On-Demand (POD) system and more powerful engine than the standard market equivalent.

## **BULLDOG 20/140**

- Weight: 59.5KG
- Pressure: 140 bar
- Sound level: 101 dB(a)



## DOOSAN 140CFM & 240CFM

Designed for optimal accessibility and maintenance without compromising on reliability and durability, the package including, optional roomy steel canopy and lockable latches for added security. With the choice of both fixed and variable height running gear, featuring a wide selection of towing couplings.

### 140

- Rated Operating Pressure: 6.8bar
- Weight max: 750KG
- Sound level: 98dB

### 240

- Rated Operating Pressure: 7bar
- Weight max: 1496KG
- Sound level: 98LwA



## HENRY WETVAC & HILTI DUST VAC

The vacuum cleaner boasts a powerful suction system that allows it to be used with even the most difficult of tasks - making it ideal for professional cleaning tasks. With a 27Ltr dry capacity and 20Ltr wet capacity, the vacuum has plenty of storage for cleaning larger areas. This makes it ideal for cleaning multiple rooms without the need for emptying - saving staff time and improving cleaning efficiency.

### WETVAC

- Capacity: 20L
- Weight: 9.7KG
- Mains power



Durable wet/dry vacuum cleaner crafted for effective dust removal and cleanup in challenging jobsite environments, engineered for manoeuvrability – compact and lightweight for effortless navigation across construction sites. The Hilti Air Boost automatic, adaptive filter cleaner ensures prompt cleaning of the air filter, maintaining consistently high dust extraction performance.

### VC 20M-X

- Dust Capacity: 15KG
- Water Capacity: 9L

## **BOBCAT ATR 12**

Compact, intuitive and dependable Bobcat roller are a versatile tool available with offset or inline configuration for working next to walls. These reliable machines are ideal for construction settings providing maintenance free articulation joint and vibratory system.

### **ATR12**

- Machine length: 60mm
- Side clearance: 370mm
- Compaction force amplitude: 0.5mm
- Centrifugal force: 19-22 kN



## BOBCAT ATR 23

Compact, intuitive and dependable – Bobcat Tandem Rollers are versatile tools available with off-set or in-line “one-side-free” configuration for working right next to walls. With a maintenance-free articulation joint and vibratory system, these reliable machines are ideal for contractors.

### ATR23

- Machine length: 2500mm
- Side clearance: 490mm
- Engine output: 18.5kW
- Travel Speed: 10km/h



## **MECALAC MBR71 & TRAILER**

Designed for the compaction of granular and asphalt materials, Mecalac Pedestrian rollers provide class leading performance in applications including highway repair, footpaths, cycle lanes, playgrounds and landscaping environments. The design provides superb balance, making it easy to manoeuvre in tight spaces.

*\*Trailer attachment is also available for transportation.*

### **MBR71**

- Operating weight: 513KG
- Engine power: 7.3kW
- Centrifugal force: 1500 daN
- Overall width: 772mm
- Overall Length: 2187mm



## BELLE PCLX320 & PCX 13/40



### PCLX320

- Plate size: 320x417mm
- Travel Speed: 18(m/min)
- Vibration Level: 2.14 (m/sec<sup>2</sup>)
- Weight: 58KG

Belle has developed a series of 2 true combination plates for compaction of granular and mixed materials with cohesive content for hot or cold asphalt. This plate is designed with improved speed and frequency and shortened base plate allowing the operator to smoothly run the machines in a wide range of field applications.

### PCX 13/40

- Plate size: 400x606mm
- Travel Speed: 20(m/min)
- Vibration Level: 3.2/4.53 (m/sec<sup>2</sup>)
- Weight: 83.5KG



## **HUSQVARNA LG 164 & BELLE RPC 30/50**

LG 164 is a compact, lightweight yet powerful reversible plate compactor developed for smaller jobs such as driveways and pathways, private house projects and narrow trenches. It is the ideal machine to use when macadam beds are thinner and you need nimble, responsive handling.

### **LG164**

- Plate width: 450mm
- Weight: 170KG
- Centrifugal force: 28kN



Reversible plate compactors with a centrifugal force of 30kN. Speed and compaction depth are adjusted through hydraulic control of the eccentric element. This gives the plate smooth motion and makes it easy to operate. Excellent for floor fillings, foundations, road repairs as well as backfill in pipe trenches.

### **RPC 30/50**

- Plate width: 500mm
- Weight: 161KG
- Centrifugal force: 30kN

## HUSQVARNA LT5005 & BELLE RTX

Husqvarna LT5005 a well balanced and lightweight, yet powerful rammer, developed for efficient compaction of granular and cohesive soils. Equipped with the latest Honda GXR120 engine, this is ideal for compaction in trenches or other narrow spaces, with superb control, low noise and emissions.

### LT5005

- Travel Speed: 15-18(m/min)
- Engine Power: 2.7kW
- Weight: 62KG
- Sound level: 106dB(A)



The RTX Rammers feature excellent balance for easy control and high level compaction. The lower grab handle and front roller makes it easy for transportation.

### RTX60

- Weight: 60KG
- Impact force: 13.6kN
- Engine power: 3.7 Hp

## BELLE PRO PETROL CONCRETE VIBRATING SCREEDER & BELLE GROUP BULL FLOAT

Concrete vibrating screeder with easily detachable twin handle power unit which clamps on to various lengths of beams. The aluminium beam has a profile suitable for 'free screeding' or by reversing the beam can be used for striking off across from the formwork.

- High frequency: 83Hz
- Petrol engine: 31cc
- Compacting depth: 75mm

*\* additional beam can be added to hire*



Improves any concrete surface. Swivel head allows for both pushing and pulling across the bay. Features alloy knuckle head for added strength and durability.

- Lightweight reinforced blades
- 5.4m Handle
- Robust heavy duty design



## POKER POWER UNIT & CONCRETE POLISHER

Belle BGA Power drive unit is designed for heavy site use providing effective air removal from concrete with a portable independent power source. It is fitted with a speed limitation to prevent over revving of the engine and poker burn-out, ensuring that it is robust and durable for the works required.

### BELLE POKER

- Motor power: 4.2(Hp)
- Weight: 38KG
- Motor Speed: 2800rpm



The Belle Pro Tilt 900 is a smooth running concrete polisher with a high quality finish and is easy to control. With design features such as a padded height -adjustable handlebar making it comfortable to use for long periods.

### 900

- Weight: 91KG
- Power: 4.3kW

## **PEDESTRIAN BARRIERS & CHAPTER 8 BARRIERS**

Delivers a robust and secure fencing solution for managing substantial pedestrian traffic with swift installation.

### **Specifications:**

- Length: 2.4m
- Height: 1m



Constructed with durable rubber feet, posts, and a 2-meter reflective barrier board, this robust barrier system adheres to the latest regulations on Safety at Street Works. The fence panel features an integral recess designed to accommodate single or twin battery lamps.

### **Specifications:**

- Length: 2m
- Height: 1m

# HERAS FENCING & ROAD CONES

These popular Heras-style fencing panels incorporate an anti-climb mesh design which guarantees no climbing footholds for strong security boundaries. The thin-mesh design also helps to keep the panels lightweight for easy transportation and storage, whilst also offering effective security once in place.



### SPECIFICATIONS:

- Length: 350 cm
- Height: 200 cm
- Weight: 13.8 kg

Our range of traffic cones are suitable for use on public roads.

### SPECIFICATIONS:

- Suitable for use on public Roads
- Tear cellular sleeves
- Retro reflective sleeves to D2



## HUSQVARNA FS400/305 FLOOR SAW



The robust petrol floor saw is convenient for small road repair jobs in concrete or asphalt with excellent stability and weight distribution.

The adjustable handles ensure an ergonomic working position making it comfortable for use.

### FS400

- Maximum cut depth: 162mm
- Maximum power: 8.7kW
- Weight: 99/120KG
- Blade diameter: 450/500mm

Husqvarna's most lightweight and compact petrol push floor saw, perfect for jobs that are difficult to access or require a smaller repair. Its compact size makes it easy for transporting and handling.

### FS305

- Maximum cut depth: 125mm
- Maximum power: 3.6kW
- Weight: 54KG
- Blade diameter: 350mm



## **STIHL CUT-OFF SAW TS410**

A lightweight and easy to use cut-off saw. Thanks to a long-life filter system along with a cyclone pre-separation the TS410 has a 2-stroke engine with a stratified charge in order to reduce the amount of fuel lost during a charge cycle. Benefiting from a reduced level of emissions also making it less harsh on the environment. Water supply allows water to be fed to the wheel and sprayed into the air for simple pain free suppression.

### **TS410\***

- Maximum cut depth: 100mm
- Maximum power: 3.2-4.4 kW
- Weight: 9.4kg
- Vibration Levels: 3.9 (m/s<sup>2</sup>)



*\*Water bottle kits also available upon request*

## HUSQVARNA K770 14"

A powerful all-round cutter with features that make it one of the best disc cutters on the market. Equipped with semi-automatic Smart Tension system allows for optimal power transmission, minimum wear and maximum belt life. The reliable start and exceptionally low vibrations mean less strain and maximised productivity.

### K770

- Maximum cut depth: 100mm
- Cylinder displacement: 73.5cm<sup>2</sup>
- Blade diameter: 300mm



## HUSQVARNA K4000

Unlike other electric cutters the blade rotates forward, cutting into the material efficiently with minimum effort on the operator. The K4000 is easily adaptable for dry cutting with the Vac attachment accessory for minimal dust generation.

### K4000

- Maximum cut depth: 125mm
- Maximum power: 100-120v
- Weight: 7.6KG
- Vibration Levels: 3.5 (m/s<sup>2</sup>)



## HUSQVARNA PG280

With a grinding width of 280mm it is suitable for small to medium concrete areas, designed to facilitate an ergonomic work position making it easy and convenient to use. It efficiently grinds adhesives, paints, epoxy and spackle. The machine is light and compact and therefore easy to transport and set up. The machine has been upgraded to flexibly follow uneven floors and to considerably reduce vibrations.

### PG280

- Grinding width: 280mm
- Power: 2.2kW
- Weight: 72KG



## HUSQVARNA TS400F

The robust single-piece frame with integrated conveyor rails gives great rigidity and provides longer product life. The TS400F is an efficient masonry saw with high cutting capacity for all bricks and blocks, with easy plunge or bevel cutting for maximum versatility.

### TS400F

- Maximum cut depth: 700mm
- Maximum power: 2.2kW
- Weight: 96KG
- Blade diameter: 400mm



## **HILTI ANGLE GRINDER**

Hilti smart power technology automatically adjusts the power output to suit the material being cut, helping to deliver consistently high cutting performance and protection to the motor to prevent overloading. Its rugged dust removal hood creates a virtually dustless operation whilst the ATC (active torque control) stops the tool body from spinning uncontrollably if the disc is jammed.

### **AG230-24D**

- Disc Diameter: 125mm-230mm
- Power: 2.2kW
- Maximum cutting depth: 68mm



## HILTI JIGSAW

The WSJ750 is a hand-held, electrically powered orbital-action jig saw. It is designed for cutting plastic, wood and metal materials, drywall board and gypsum fibreboard. The 4 orbital-action settings allow cutting performance and quality of cut to be adjusted to suit the material to be cut.

### WSJ750

- Weight: 2.8KG
- Maximum Cutting Depth (steel): 10mm
- Maximum Cutting Depth (wood): 120mm



## BOBCAT E10Z

The E10Z can navigate through narrower openings, operating in more confined areas where exhausting manual labour would usually be the only other option. The zero tail swing gives you the greatest flexibility to pivot and deposit soil while offering the most protection against accidental contact with surrounding buildings and objects.

### E10

- Operating weight: 1176KG
- Digging depth: 1.8m
- Engine power: 7.5kW
- Break force: 5550N



## BOBCAT E17 & E19

Delivering impressive performance in confined spaces with the need for only minimal repositioning the bobcat E19 & E17 mini excavator can travel through gates and between walls and houses. The E19 has a reduced tail swing for better versatility and manoeuvrability on compact jobsites. The optional fingertip controlled boom offset and auxiliary offer double benefits of improved controllability of swing function and connected attachments, while also creating more floor space and comfort for the operator.

### E17

- Operating weight: 1711KG
- Digging depth: 2.2m
- Engine power: 10.2kW
- Break force: 9108N



### E19

- Operating weight: 1885KG
- Digging depth: 2.4m
- Engine power: 10.2kW
- Break force: 10371N

## BOBCAT E27

Along with class leading digging performance and breakout forces, the new Bobcat E27 model introduces an in-class unique combination of superior stability and compactness. The optional heavy counterweight offers just 280mm of tail overhang which allows the machine to be operated in confined spaces, making the machine an ideal tool for highly demanding projects.

### E27

- Operating weight: 2683KG
- Digging depth: 2.8m
- Engine power: 18.3kW
- Break force: 16030N



# BOBCAT E34

Representing a new era in 3.4-tonne conventional tail swing machines, delivering elevated stability, exceptional performance, and enhanced controllability.

Equipped with a spacious premium cab, it also offers optional robust air conditioning, ensuring an optimal operator environment regardless of weather conditions.

### E34

- Operating weight: 3476KG
- Digging depth: 3.1m
- Engine power: 18.2kW
- Break force: 20790N



## BOBCAT 35z

The new generation model of a popular 3.5 tonne machine, offering the additional benefits of a ZHS design. This excavator provides the best possible mix of compactness, comfort and stability. Proving to be a high specification of machine that customers require.

### 35z

- Operating weight: 3499KG
- Digging depth: 3.1m
- Engine power: 18.2kW
- Break force: 20790N



## BOBCAT E55

The high-performing E55 compact (mini) excavator empowers you to maximize productivity through upgraded hydraulic capabilities, increased efficiency, simplified maintenance, and heightened control precision.

Key features encompass a revamped Bobcat engine, an improved cooling system for enhanced performance, serviceability, and component longevity. The low-effort joysticks respond effortlessly to operator input, providing superior hydraulic control for precise metering, finite movement, and controllability during level grading, along with swift cycle times. Its minimal tail swing, with less than one inch of overhang, ensures seamless operation in confined spaces.

### E55

- Operating weight: 5387KG
- Digging depth: 3.5m
- Break force: 31080N



## BOBCAT E88

Boasting a blend of outstanding stability and performance, meticulous attention to ergonomic details, and the renowned reliability characteristic of Bobcat, the compact and easily transportable E88 is prepared for any challenge.

Its versatile hydraulics and straightforward maintenance add to its readiness for diverse tasks.

### E88

- Operating weight: 8919KG
- Digging depth: 4.5m
- Engine power: 48.5kW
- Break force: 39073N



## BOBCAT ATTACHMENTS

### AUGER

Experience both speed and precise vertical accuracy with this robust hydraulic auger, featuring high torque. Its distinctive "knuckle-joint" design enables perfect vertical alignment on flat or uneven surfaces. The entire drive unit seamlessly follows the bit into the hole, providing an additional 30 cm of dig depth compared to standard units. This tool is optimal for drilling holes for posts, piers, poles, and trees in various soil conditions.



### BREAKER

Bobcat breakers offer high performance, low maintenance, and are easy to use. All breakers feature a frame with a cylindrical design, providing improved access to jobs in confined areas.

All breakers have a silenced housing as standard

# **DRAINAGE SURVEY CAMERA & COBRA RODS**

For fast, efficient job setup, the RIGID camera system offers tilt monitoring allowing you to view your monitor at your desired angle or remove it for convenient job site placement. The TruSense technology features a high dynamic range image sensor, always nailing the image with self-levelling camera technology.

## **RIGID CAMERA SYSTEM**

- Push cable length: 40m
- Push cable diameter: 0.26”
- Weight: 8KG



The Cobra range of Cable Duct Rodding Systems are compact, labour saving solutions for cable pulling through ducts, threading draw ropes through pipes and surveying drains with CCTV .

**AVAILABLE IN VARIOUS SIZES**

## HAMMER DRILLS & WALL CHASER

Powerful SDS Max (TE-Y) demolition hammer for heavy-duty chiselling in concrete and masonry, with Active Vibration Reduction (AVR).

### TE 700-AVR

- Full hammering frequency: 1950(I/M)
- Chiselling performance: 7800cm<sup>3</sup>
- Sound pressure level 85dB



Versatile breaker for demolishing or chiselling floors and occasional wall applications.



### TE 1000-AVR

- Full hammering frequency: 1950(I/M)
- Chiselling performance: 7800cm<sup>3</sup>
- Sound pressure level 85dB

Slitting machine for wall/floor chasing and cable, conduit or pipe installations in a variety of base materials.

### DCH 150-SL

- Max cutting width: 50mm
- Disc Diameter: 150mm



## DIAMOND CORE DRILL & CONCRETE DEMO HAMMER

High robustness and long lifetime due to separate lubrication chambers with a power reduction button for use on lighter materials and for greater precision in controlled breaking jobs. Powerful SDS Max (TE-Y) demolition hammer for heavy-duty chiselling in concrete and masonry, with Active Vibration Reduction (AVR).

### TE 800-AVR

- Weight: 10.6KG
- Sound level: 87dB
- Chiselling performance: 2500cm<sup>3</sup>



High motor performance and sturdy two-speed gearing for optimum speed. Compact and light diamond drilling machine for dry handheld coring in masonry up to 160 mm.

### DD110-D

- Diameter range: 16-162mm
- Number of gears: 2
- Weight: 5.3KG



## JCB & BELLE DUMPSTERS

Designed to save you time, energy and money the JCB HTD 5 is a compact, high tip diesel powered dumpster. It is also one of the safest and most comfortable machines for on site use.

### HTD5

- Skip type: Front / Swivel
- Engine power: 18.5kW
- Travel speed: 11mph
- Dumping height: 919-1653mm



Strong heavy duty design and tipping mechanism can easily handle loads of up to 300kg. The ergonomic design and easy operation makes it ideal for small spaces, passage and doorways

### BMD300

- Skip type: Front
- Travel speed: 2.6-6 km/h
- Machine weight: 155KG



## **MECALAC TA1 EH**

TA1EH is perfect for the smallest of worksites. Elevating skip means loads can be tipped directly into a skip or truck. Automotive style hydrostatic transmission is easy to operate, a direction control lever and throttle pedal are all that is required, automatic braking is activated when the throttle pedal is released, increasing safety on site.

### **TA1**

- Skip type: Front
- Engine power: 17.5kW
- Travel speed: 7.5mph
- Dumping height: 559-1602mm



## MECALAC TA2 SEH

With a skip payload of 2000kg and an elevating swivel tip skip (TA2SEH) the TA2H range can fit the requirements of many small jobsites.

The Hydrostatic transmission delivers smooth and uninterrupted power for the operator. Simple user friendly controls help all operators adapt quickly.

### TA2

- Skip type: Front / Swivel
- Engine power: 18.5kW
- Travel speed: 11mph



## **MECALAC TA3**

Designed for the small to medium job site the TA3 Range offers versatility for your material movement. Choose between straight tip skip for bulk material movement or the 180 degree power swivel skip which allows precision placement of loads to either side of the machine. The optional hydrostatic transmission delivers smooth and uninterrupted power for the operator. Simple user friendly controls help all operators adapt quickly.

### **TA-3**

- Skip type: Front
- Engine power: 18.5kW
- Travel speed: 10-12mph



## MECALAC TA-3.5

Designed for the small to medium job site the A3.5SH offers versatility for your material movement. With a skip payload of 3000kg / 3500kg, choose between straight tip skip for bulk material movement or the 180 degree power swivel skip which allows precision placement of loads to either side of the machine. The optional hydrostatic transmission delivers smooth and uninterrupted power for the operator. Simple user friendly controls help all operators adapt quickly.

### TA-3.5

- Skip type: Swivel
- Engine power: 18.5kW
- Travel speed: 10-12mph
- Dumping height: 810mm



## **MECALAC TA6**

Tailored for medium to large job sites, the TA6 delivers versatility in material movement. With a skip payload capacity of 6000kg, you can opt for the straight tip skip for bulk material transport or the 180-degree power swivel skip, allowing precise placement of loads on either side of the machine. The synchro shuttle transmission offers 4 forward and 4 reverse gears, reaching a maximum travel speed of 25kph (15mph). Permanent 4-wheel drive and central articulation ensure consistent traction even in challenging conditions. Standard on all 6-tonne machines is Shield safety technology.

### **TA6**

- Skip type: Front / Swivel
- Engine power: 55kW
- Travel speed: 15mph
- Dumping height: 430mm—1126mm



## MECALAC TA9

Tailored for expansive job sites, the TA9, provides versatility for your material handling needs. Boasting a skip payload capacity of 9000kg, you can opt for the straight tip skip for efficient bulk material transport or the 180-degree power swivel skip, enabling precise placement of loads on either side of the machine.

The synchro shuttle transmission offers 4 forward and 4 reverse gears with a permanent 4-wheel drive and central articulation ensure consistent traction, even in the most challenging conditions. Standard on all 9-tonne machines is Shield safety technology.

### TA9

- Skip type: Front / Swivel
- Engine power: 55kW
- Travel speed: 15mph
- Dumping height: 462-1171mm



## NAIL GUNS



Compact and well-balanced, the IM360Ci is capable of firing both RoundDrive nails and Nail Screws. It has an intelligent fuel injection system which delivers an all weather functioning performances.

### IM360Ci 1<sup>ST</sup> FIX

- Weight: 3.8KG
- Power: 105J
- Fixings Per Second: 2-3 fixings
- Magazine Capacity: 47 fixings

The NEW and improved version of the iconic IM350+ tool heralds the seventh generation of Paslode gas nailing technology. Benefitting from 40 years of customer insight and innovation, the tool is strong and durable, guaranteeing tool performance and reliability.

### IM350+ 1<sup>ST</sup> FIX

- Weight: 3.3KG
- Power: 82J
- Fixings Per Second: 2-3 fixings
- Magazine Capacity: 55 fixings



## NAIL GUNS

The lightweight distribution allows easy manoeuvring and reduced tiring when in use. It also has an easy to use tool-free depth adjustment and a reversible belt hook and an on/off battery lock position increasing the users experience even more. The nail lockout feature prevents blank firing and therefore reduces wood damage.

### IM 165 F16 2<sup>ND</sup>FIX

- Weight: 2.1KG
- Power: 30J
- Fixings Per Second: 2-3 fixings
- Magazine Capacity: 100 fixings



## GARDEN SHREDDER

The Timberwolf TW 13/75G Wood Chipper is both compact and sturdy, offering an unmatched work rate in its category. Engineered to withstand the rigorous demands of the industry. It is designed with safety in mind, easy to operate and transport, making it exceptional in terms of performance. Its impressive chipping ability and 75mm (3") cutting performance makes it a superb wood chipper far more capable than its size suggests.

### TW 13/75G WOOD CHIPPER

- Weight: 188KG
- Throughput: 0.75t/ph
- Feed method: positive blade feed
- Fuel: Petrol



## **PETROL HEDGE TRIMMER & ROTAVATOR**

The compact HS 45 is perfect for trimming jobs around the garden. STIHL HS 45 18" cones with 2-MIX technology providing outstanding performance.

### **HS 45**

- Weight: 4.7KG
- Blade Length: 45cm
- Sound Level: 107dB



Designed for breaking up, turning and cultivating hard and compact soil, in preparation for laying new turf or planting crops, vegetables and plant. It's a strong, reliable and robust machine, capable of performing on very tough ground.

### **CAMON C8 8HP**

- Weight: 111KG
- Power Output: 6.3kW
- Sound Level: 85 awd
- Digging Depth: 23cm

## GROUND GUARDS & ROAD PLATES

These ground protection mats are commonly used for moving large machinery and vehicles over soft ground in construction environments.



Suitable for use in pedestrian and residential areas, footpaths and driveways and allow safe pedestrian movement while work is ongoing. Trench covers are made from plastic, but unlike GRP road plates, they are a single unit and not part of a linked modular system.



## **ACRO PROPS, STRONGBOYS & STEEL DOLLY**



This product is designed to accommodate walls with a thickness of up to 300mm. It features a newly patented plate locking bar that effectively secures the Strongboy to the Acrow Prop, ensuring a safer and more secure operation.

Sturdy steel props designed for temporary ceiling or wall support during structural projects. The height can be easily adjusted through an external screw thread, ensuring a secure fit when positioned.



Enabling easier transportation of materials, perfect for use with oversized materials.

## **BUILDER TRESTLES & SCAFFOLD BOARDS**

Frequently referred to as bandstands, these structures offer a spacious and secure working platform suitable for tasks such as bricklaying, plastering, and general construction work. The trestles have ample width to accommodate either four scaffold boards or two stagings.



Scaffold boards for use with scaffolding to create a load bearing platform for safely working at height.

## DEHUMIDIFIER UNITS

The rhino DH50L is a powerful, industrial dehumidifier, extracting 50 litres of water per day from the air, preventing the build up of mould and mildew.

### DH50L

- Auto defrost
- Timer functions
- 7 litre tank capacity
- Removable washable filter



### SEALEY 50L-90L

- 7 litre tank capacity
- Auto shut-off
- Power: 600w



## HEATING

Focused on heating of objects or persons, this heater saves energy through not heating the atmosphere. With its twin 1100w ruby quartz halogen infrared lamps 95% of input energy converts into heat output. It hosts a tough, impact resistant body with integrated wheels for manoeuvrability.

### IH

- LCD Control panel
- 2 x heat settings
- Thermostat
- Timer function



With 3 output settings this heater is compact and mobile great for instant warmth in the home, office, workshop etc.



### GAS

- Maximum Output: 4.2kW
- 3 x heat settings

## SPACE HEATERS

Excellent thermal performance in a compact device. The adjustable heat output ranging from 18kW to 30kW (61,000-102,000 Btu/hr) enables you to customize the heating intensity for your area. It's important to emphasize that LPG heaters are suitable exclusively for well-ventilated and outdoor environments and should never be utilized in enclosed or indoor spaces.

### LPG SH

- Fuel: Propane
- Weight: 7.5KG
- Capacity: 18-30kW



Gas bottles are also available upon hire of LPG Space Heaters.

- 15-37KG

## GENIE SUPER LIFTS

The Genie SLA-10 Straddle Base Superlift has a lift capacity of 454kg and can lift loads between 0.80m and 1.27m wide. With the Standard forks accommodating a variety of general loads but you can get an extra 51cm of reach height by turning the forks over and re-pinning.

### SLA 10

- Load capacity: 454KG
- Height lifted: 2.97m—3.49m
- Height stowed: 2m



The SLA-15 Material Lift can lift 363kg to a maximum height of 4.98m with the forks up. The combination of lift capacity and height makes this a very versatile push around lift. With it's portable and compact design it can be set up in seconds with no tools required.

### SLA 15

- Load capacity: 363KG
- Height lifted: 4.46m—4.98m
- Height stowed: 2m



## 8 METER BUMPA 110V

The Mace Bumpa is quick to erect, simple to unload from your truck and can be up and running within minutes. 1000 tiles can then be loaded onto any roof in under 25 minutes. The Bumpa has a powered reverse to strip valuable salvage down efficiently straight from the roof into the back of a truck. The unique folding design makes this perfect to fit on to the back of a pick up or a transit van with a roof rack .

### BUMPA

- Weight: 104KG
- Noise Level: 75dB
- Power Type: 110v
- Belt speed: 20m/min



## BOBCAT TL25.60

Bobcat's Super compact Telehandler TL25.60 boasts the same spacious, comfortable workspace as larger models for all-day comfort. Thanks to the machine's compact dimensions and excellent manoeuvrability, you can work in tight spots without compromising performance.

### TL25

- Rated Capacity: 2500KG
- Lifting Height: 5.9m
- Max Reach: 3.4m
- Rated power: 55 kW



## BOBCAT T41.140SLP

Crafted with exceptional manoeuvrability in focus, this equipment excels in material lifting and people elevation tasks. The stabilizers, frame levelling, and patented boom positioning system contribute to heightened productivity by facilitating easy and adjustable load placement at various heights. Perform daily tasks effortlessly with the intuitive automotive-style layout and an ergonomically improved all-in-one joystick. The shielded design ensures the protection of all components, and the robust frame and boom design make Bobcat Telehandlers exceptionally durable.

### T41

- Rated Capacity: 4100KG
- Lifting Height: 13.7m
- Max Reach: 9.4m
- Rated power: 74 Kw



*\*tipping skip attachment also available for hire.*

## LIGHTING UNITS

When it comes to lighting units for hire, 110-volt options are a popular choice for a wide range of applications. These versatile lighting units operate at a lower voltage, making them ideal for temporary setups in event venues, construction sites, film productions, and outdoor gatherings.

They are not only energy-efficient but also easy to install and operate. With their plug-and-play design, 110V lighting units provide a convenient solution for illuminating spaces with minimal hassle. Whether you need them for a well-lit event or to ensure safety on a construction site, these lighting units offer reliability and flexibility, ensuring your space is well-lit and inviting.



## MOBILE LIGHTING TOWER

Doosan Portable Power's light towers are crafted with the reliability and durability demanded by professionals. Equipped with dependable engines, expansive coverage, and safeguarded by reflector housings with tempered glass, our light towers ensure optimal performance. Whether your work extends beyond daylight hours or your event continues into the night, harness the power of our light towers to illuminate your surroundings.

### LSV9-50Hz-CE

- Alternator Max Output: 4.8kW
- Runtime: 59hrs
- Recep-

tacles: 2x230v 16amps



## BELLE 100XT DIESEL MIXER & MINIMIX 150 PETROL MIXER

The Belle Premier 100XT is a robust, extra heavy-duty site mixer designed for mixing larger batches and more prolonged, more demanding use. This high specification, high performance upright mixer is designed to withstand the toughest site conditions and is ideal for professional use.

### 100XT

- Mixing Capacity: 110L
- Drum capacity: 250L
- Noise Level: 87dB



The Belle Minimix 150 is a heavy duty cement mixer designed for professional use on all building projects. It can be used both on or off its stand and is the ideal portable and robust solution for mixing concrete and mortar.

### MINIMIX

- Mixing capacity: 90L
- Drum capacity: 136L
- Voltage: 240v



## **TRANSFORMERS & 110V CABLE REELS**

Featuring Arctic Grade cable with outstanding low-temperature performance, even in extremely cold conditions. It is also equipped with Defender BS EN 60309 plugs and sockets, designed for reliable use in challenging environments.



A transformer is commonly used to convert the mains voltage from 230V in the UK to 110V for construction industry power tools to provide a safer supply with a centre-tap earthed (CTE) configuration, often referred to as a site-safe supply. These transformers are designed to enhance electrical safety on construction sites by reducing the voltage to a level that is less likely to cause severe electric shocks if accidents occur.



## **BELLE GPX300 & STEPHILL 3KVA**

The Belle GPX3400 has a robust large diameter frame with a built in engine/ alternator. The stackable frame with single point lifting reduces environmental impact minimizing manual handling risks, complete with securing pin for added safety. The engine and alternator are protected from physical damage by the frame and the electrics have full overload protection.

### **GPX3400**

- Fuel capacity: 3.1L
- Engine Power: 3.3kW
- Weight: 47KG



Robust design and construction to meet the tough demands of the Hire industry, featuring a heavy duty alternator with twin mounts and rugged metal control box.

### **STEPHILL 3KVA**

- Engine Power: 3KVA

# BELLE WPX 3/30 & SUBMERSIBLE PUMPS

The WPX 3/30 is a durable, powerful, petrol engine driven, 3" semi-trash water pump designed for a variety of residential, commercial and agricultural tasks. It is suitable for sandy or muddy water and debris up to 1" in diameter.

### WPX3/30

- Fuel capacity: 3.6L
- Engine Power: 4.1kW
- Weight: 44KG
- Suction Lift: 6m



The Belle BGA submersible is a High capacity submersible pump for draining and removal of water from trenches and building sites without use of electric power.

### BGA

- Output: 25m<sup>3</sup>/hour
- Max head height: 13m
- Weight: 22KG



## SUBMERSIBLE WATER PUMPS

Designed for rugged applications, perfect for tasks like irrigation and ditch clearing. Equipped with a ceramic shaft to ensure extended lifespan, as well as thermal overload protection. The integrated float switch automatically shuts off the pump when the water level decreases. Includes a stepped hose adapter with a diameter of 25-35mm, a 10-meter (approximately) cable, and an approved plug for convenience.

### DRAPER 110V 1”

- Output: 216L/min
- Max head height: 8m
- Weight: 5.5KG



The Tsurumi HS2.4S has a solid cast aluminium body, cast iron pump casing and an impact resistant PVC strainer base for durability during robust handling. The urethane vortex impeller offers excellent wear resistance in site applications where the water contains sand and silt in suspension, thus maintaining performance and reliability in the long term.

### TSURUMI 2”

- Output: 205L/min
- Max head height: 12m
- Weight: 12KG



## ROTARY LASERS

Whether it is concrete pouring, formwork levelling, transferring or checking of heights, the Leica rotary laser level offers increased productivity combined with the ultimate ease of use. One button interface makes the operation of laser extremely easy. The laser is sealed to the water and dust protection standard (IP67) which stands for complete protection against dust and withstanding of water immersion up to 1 m. The rubber over mould handles offer great protection and easy grip handles.



### LEICA RUGBY 620

- Operating Range: 900m
- Maximum Operating Time: 50h



Robust outdoor rotary laser level for horizontal levelling with a One button, one function design makes this rotating laser extremely easy to use.

### HILTI PR2HSA12

- Operating Range: 2-600m
- Laser Class: 4.85mW
- Maximum Operating Time: 16h

## C.A.T 4 CABLE AVOIDANCE TOOL & GENERATOR

The Radio detection C.A.T4+ cable avoidance tool empowers ground workers with precise capabilities to detect, map, and assess the depth of buried utility services, including power cables, data/telecom supplies, pipelines, and other structures, during excavation activities.

The C.A.T4+ features the built-in 'StrikeAlert' feature, providing real-time information about the location of shallowly buried services, helping mitigate the risk of accidental 'strikes' when left undetected.



### C.A.T 4

- LCD Display
- 4 modes
- Metric or Imperial units



Portable, powerful and extremely useful for any excavation professional, the Genny4 sends out a diverse selection of signals to accurately determine underground utility location and provides the user with a safe map in order to dig safely and without damage to gas pipes, water pipes, fibre optic cabling, network cabling and other utilities.

### GENNY 4

- Signal output: 0.1w
- Signal boost output power: 1.0w

## **BELLE PRESSURE WASHER PWX 13/230 & BWX 15/250 BOWSER**

The Altrad Belle PWX 13/230 is a cold water, high flow pressure washer that benefits from a reliable Honda GX270 engine that can deliver 6.3kW of power. This model also includes integrated wheels, low engine oil cut off and a high quality heavy duty piston pump. Completing this capable washer is a compact full engine frame for added reliability.

### **13/230**

- Weight: 96KG
- Water pressure: 3300PSI
- Water Flow: 780L/hour



The Belle BWX 15/250 is a robust and heavy-duty towable pressure washer which features a high capacity 1125 litre capacity integral water tank, powerful diesel generator and a spray lance with a 10m hose, mounted on a fully road legal trailer chassis.

### **15/250**

- Weight: 460KG
- Water pressure: 3600PSI
- Water Flow: 15L/PM



## **SKIPS & PORTABLE TOILETS**

Discover our latest additions to the lineup, waste solutions tailored for various site needs. Whether you require skips of any size or a portable toilet, we've got you covered.


**Contact us for more information.**



# NOTES

---

**WE OFFER DELIVERY SERVICES WITHIN A ONE-HOUR RADIUS FROM OUR WATERLOOVILLE HUB! FOR FURTHER DETAILS OR QUOTATIONS, FEEL FREE TO CONTACT OUR TEAM, WHO WILL BE HAPPY TO HELP WITH ALL YOUR HIRE REQUIREMENTS!**



# **CONTACT US**

---



**37A ASTON ROAD, WATERLOOVILLE,  
PO77XF**



**02393 990061**



**HIRE@JCTGROUPLTD.CO.UK**



**JCTHIRE.CO.UK**



